



**ARIYAN INTERNATIONAL INC.**  
Bridging Businesses Together

**Ariyan International Inc.**  
Mississauga, Ontario, Canada.  
Phone: +1 (416) 477 – 1746  
Emails: [contact@ariyancorp.com](mailto:contact@ariyancorp.com)  
[cs@ariyancorp.com](mailto:cs@ariyancorp.com)  
[info@ariyancorp.com](mailto:info@ariyancorp.com)  
Website: <https://www.ariyancorp.com>

# STANDARD SPECIFICATION OF GRANULAR UREA

## A. Guaranteed Specification – Granular

COMPOSITION	SPECIFICATION	
Urea Assay (wt %)	98.0 min	
Mass portion of nitrogen (N) on a dry basis, % min	46.2	
Mass portion of Biuret, %, max	0.71	
Ferrum %	0.0007	
Apparent Density (Kg/m <sup>3</sup> )	770–809 Kg/m <sup>3</sup>	
Free Ammonia	160 PXT PPM maximum	
Sulphates %	0.0079	
Alkalinity %	0.022	
Arsenic %	10ppm	
Cadmium	3ppm	
Mercury	0%	
Selenium	0.4ppm	
Chromium	430ppm	
Insoluble (ppm)	20	
Granulation	0.85–3.35 mm not less than 90%	
Physical State	Solid at 20 °C, 101 KPA White Granules	
Physical Presentation	White Granular	
Specific Gravity	– 1.335t/m	
Molecular Weight	60.065	
Critical/relative Humidity (30 °C)	73%	
Solubility in water at 20 °C	100gm/100ml of water	
Anti-Caking Agent	Free Floating Treated Against Anti-Caking Treatment	
Additive	None	
PH (10 wt% solution)	7.5–10.0 Units	
Moisture (determined by Fischer method), % max:	0.5% max by method of drying	
Dimension	Less than 1 mm: Absence	
Melting Point	132 °C	
Color	Standard White or Pure White	
Quality	Free Flowing, Non Clotted, Free From Harmful Substances	
Salinity Index	75.4	
	2 to 5 mm	95%
	1 to 4 mm	–



ARIYAN INTERNATIONAL INC.

Bridging Businesses Together

Ariyan International Inc.  
Mississauga, Ontario, Canada.  
Phone: +1 (416) 477 – 1746  
Emails: [contact@ariyancorp.com](mailto:contact@ariyancorp.com)  
[cs@ariyancorp.com](mailto:cs@ariyancorp.com)  
[info@ariyancorp.com](mailto:info@ariyancorp.com)  
Website: <https://www.ariyancorp.com>

# STANDARD SPECIFICATION OF PRILLED UREA

## B. Guaranteed Specification – Prilled

COMPOSITION	SPECIFICATION
Urea Assay (wt %)	98.0 min
Mass portion of nitrogen (N) on a dry basis, % min	46.2
Mass portion of Biuret, %, max	0.71
Ferrum %	0.0007
Apparent Density (Kg/m <sup>3</sup> )	770–809 Kg/m <sup>3</sup>
Free Ammonia	160 PXT PPM maximum
Granulation	0.85–3.35 mm not less than 90%
Sulphates %	0.0079
Alkalinity %	0.022
Arsenic %	10ppm
Cadmium	3ppm
Mercury	0%
Selenium	0.4ppm
Chromium	430ppm
Insoluble (ppm)	20
Granulation	0.85 – 3.35 mm not less than 90%
Physical State	Solid at 20 °C, 101 KPA White Granules
Physical Presentation	Spherical & Uniform in Size
Specific Gravity	Solid at 20 °C, – 1.335 t/m
Molecular Weight	60.065
Critical/relative Humidity (30 °C)	73%
Solubility in water at 20 °C	100g/100 ml of water
Anti-Caking Agent	Free Floating Treated Against Anti-Caking Treatment
Additive	None
PH (10 wt% solution)	7.5–10.0 units
Moisture (determined by Fischer method), % max:	0.5% max by method of drying
Dimension	Less than 1 mm: Absence
Melting Point	132 °C
Color	Standard White or Pure White
Salinity Index	75.4
Crumbiness	100%
Quality	Free Flowing, Non Clotted, Free From Harmful Substances

**ARIYAN INTERNATIONAL INC.**

Bridging Businesses Together

Ariyan International Inc.  
Mississauga, Ontario, Canada.  
Phone: +1 (416) 477 – 1746  
Emails: [contact@ariyancorp.com](mailto:contact@ariyancorp.com)  
[cs@ariyancorp.com](mailto:cs@ariyancorp.com)  
[info@ariyancorp.com](mailto:info@ariyancorp.com)  
Website: <https://www.ariyancorp.com>

- Odor threshold Odorless or Slight Ammonia.
- Boiling point decomposes before boiling.
- Hazardous Ingredients none according to controlled product regulations.

**Physical Specification:**

- White, Free Flowing, Non-clotted 100% free from harmful substances.
- Internationally accepted standard for Urea N46%.
- Free from Impurities, Sand, Dust and Certified Non Radioactive.
- Vapor density not applicable.
- Floatability/Water sinks and mixes.
- PH Value 8.0–8.5.

**Usage:**

More than 90% of world industrial production of Urea is destined for use as Nitrogen-release fertilizer. Urea has the highest Nitrogen (N) content of all solid nitrogenous fertilizers in common use. Therefore, it has the lowest transportation costs per units of nitrogen nutrient. The standard crop-nutrient rating of urea is 46-0-0. The most common impurity of synthetic urea is Biuret, which impairs plant growth.

Urea is usually spread at rates of between 40 and 300 Kg./HA but rates vary. Smaller applications incur lower losses due to leaching. During summer season, Urea is often spread just before or during rain to minimize losses from volatilization (A process wherein Nitrogen (N) is lost to the atmosphere as Ammonia Gas). Due to the high Nitrogen concentration in Urea, it is very important to achieve an even spread. The application equipment must be correctly calibrated and properly used.